

## Bitzer HSN 7471-75-40P (x3)

### Specifications

Marka	Bitzer
Typ	HSN 7471-75-40P (x3)
Czynnik chłodzący	Freon
kW at -20°C/+40°C	360,9
kW at -30°C/+40°C	248,7
kW at -40°C/+40°C	163,5
kW at -45°C/+40°C	129,0
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Separator oleju	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
Panel kontrolny	✓
m <sup>3</sup> / h	50 Hz - 750 m <sup>3</sup> /h & 60 Hz - 900 m <sup>3</sup> /h
Uwagi	Y.o.b. 2004 (s.nr: 1066800052) & y.o.b. 2000 (s.nr: 5871892)



Package / Rack	✓
Rozmiar	3700x1420x1780 mm (LxWxH)
Stock	1

## Description

### Used Bitzer HSN 7471-75-40P (x3)

Used Bitzer HSN 7471-75-40P (x3) semi-hermetic screw compressor skid on Freon. Complete with a Hans Güntner liquid receiver with a volume of 400 liters, Bitzer OA 9011 oil separator, Vahterus PSHE 3HH-38/1/1 oil cooler, Vahterus Q plate 3HH-96/3/2 as economizer, pressure and safety switches/gauges and a control cabinet with a Eliwell EWCM890/S controller. The compressors have a total displacement of 750 m<sup>3</sup>/h at 50 Hz & 900 m<sup>3</sup>/h at 60 Hz.

\*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.













