

Bitzer HSN 8571-125-40P (x2)

Specifications

Marka	Bitzer
Typ	HSN 8571-125-40P (x2)
Czynnik chłodzący	Freon
kW at -20°C/+40°C	396,4
kW at -30°C/+40°C	272,6
kW at -40°C/+40°C	178,8
kW at -45°C/+40°C	141,0
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	473
Separator oleju	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
Panel kontrolny	✓
m ³ / h	820 m ³ /h at 50 Hz & 990 m ³ /h at 60 Hz
Uwagi	Y.o.b. 2011
Waga kg.	2500
Package / Rack	✓



(LxWxH)

Bitzer

3610x1700x1950 mm

Description

Used Bitzer HSN 8571-125-40P (x2)

Used Bitzer HSN 8571-125-40P (x2) semi-hermetic screw compressor skid on Freon. Complete with a Bitzer FS4752 liquid receiver with a volume of 473 liter, Bitzer OA9111 oil separator with a volume of 228 liter, GEA GBS 700M-60 brazed heat exchanger as oil cooler, brazed heat exchanger as economizer, pressure and safety switches/gauges and a control cabinet. The compressors have a total displacement of 820 m³/h at 50 Hz & 990 m³/h at 60 Hz.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.











