

## Bitzer HSN 8571-125-40P (x6)

### Specifications

Marka	Bitzer
Typ	HSN 8571-125-40P (x6)
Czynnik chłodzący	Freon
Refrigerant type	R449A
kW at -20°C/+40°C	1105,2
kW at -30°C/+40°C	747,6
kW at -40°C/+40°C	484,2
kW at -45°C/+40°C	379,8
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	500
Ssanie	✓
Separator oleju	✓
Osuszający filter lini cieczy	✓
Zawór elektromagnetyczny	✓
Panel kontrolny	✓
m <sup>3</sup> / h	2.460 m <sup>3</sup> /h at 50 Hz & 2.970 m <sup>3</sup> /h at 60 Hz
Uwagi	Y.o.b. 2019



Uwagi	Capacity calculated with economizer
Package / Rack	✓
Rozmiar	1 frame: 5450x2100x2230 mm (LxWxH) Control cabinet: 2620x700x2420 mm (LxWxH)
Stock	1

## Description

### Used Bitzer HSN 8571-125-40P (x6)

Two used Bitzer HSN 8571-125-40P Freon compressor racks on a steel base frame built in 2019 with 3 compressors each . Complete with 6 suction accumulators, 2 Bitzer OA14111 oil separator with a volume of 395 liter, 2 Tecnac RV-610-500 liquid receiver with a volume of 500 liter, 6 brazed heat exchangers as economizer, pressure and safety switches/gauges and a control cabinet with Danfoss frequency converters and a Siemens TP1200 Comfort Simatic HMI controller. The compressors have a total displacement of 2.460 m<sup>3</sup>/h at 50 Hz & 2.970 m<sup>3</sup>/h at 60 Hz.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.















