

## Bock HGX4/555-4 S (x3)

### Specifications

Marka	Bock
Typ	HGX4/555-4 S (x3)
Czynnik chłodzący	Freon
kW at 0°C/+40°C	115,8
kW at -5°C/+40°C	96,3
kW at -10°C/+40°C	78,8
kW at -20°C/+40°C	50,6
kW at -30°C/+40°C	30,2
kW at -40°C/+40°C	16,2
kW at -45°C/+40°C	11,2
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	250
Ssanie	✓
Separator oleju	✓
Poziom oleju w systemie	✓
Osuszający filter linii cieczy	✓
m <sup>3</sup> / h	144,6
Uwagi	Y.o.b. 2009
Package / Rack	✓
Rozmiary	2700x1200x1720 mm (LxWxH)



Stock

1

---

## Description

### Used Bock HGX4/555-4 S (x3)

Used Bock HGX4/555-4 S (x3) semi-hermetic reciprocating compressor on Freon. Complete with a suction accumulator, Tecnac RH-250E liquid receiver with a volume of 250 liter, 3 oil separators, Henry S-9109-CE oil reservoir, oil level regulators and pressure and safety switches/gauges. The compressor has a displacement of 144,6 m<sup>3</sup>/h.

\*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.







