

Bock HGX4/555-4 S (x2)

Specifications

| | |
|---|-------------------|
| Marka | Bock |
| Typ | HGX4/555-4 S (x2) |
| Czynnik chłodzący | Freon |
| kW at 0°C/+40°C | 77,2 |
| kW at -5°C/+40°C | 64,2 |
| kW at -10°C/+40°C | 52,6 |
| kW at -20°C/+40°C | 33,7 |
| kW at -30°C/+40°C | 20,1 |
| kW at -40°C/+40°C | 10,8 |
| kW at -45°C/+40°C | 7,5 |
| Rozładunek | ✓ |
| Kontrolka wydajności | ✓ |
| Podstawa na stalowej ramie | ✓ |
| Ciśnieniowe przełączniki bezpieczeństwa | ✓ |
| Wskaźniki ciśnienia | ✓ |
| Ssanie | ✓ |
| Separator oleju | ✓ |
| Poziom oleju w systemie | ✓ |
| Osuszający filter linii cieczy | ✓ |
| Zawór elektromagnetyczny | ✓ |
| m ³ / h | 88,4 |
| Uwagi | Y.o.b. 2006 |
| Package / Rack | ✓ |



| | |
|---------|------------------------------|
| Rozmiar | 1760x1100x1500 mm (LxWxH) |
| Stock | 1 |

Description

Used Bock HGX4/555-4 S (x2)

Used Bock HGX4/555-4 S (x2) semi-hermetic reciprocating Freon compressor rack on a steel base frame. Complete with a suction accumulator, 2 oil separators, Henry S-9109-CE oil reservoir, oil level regulator, pressure and safety switches/gauges. The compressor has a displacement of 88,4 m³/h.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.





