

Carlyle / Carrier 06TUA554SW1C

Specifications

Marka	Carlyle / Carrier
Typ	06TUA554SW1C
Czynnik chłodzący	Freon
Refrigerant type	R134a
kW at +10°C/+40°C	795,8* (12,8°C/+43,3°C)
kW at 0°C/+40°C	541,6* (1,7°C/+43,3°C)
kW at -5°C/+40°C	435,5* (-3,9°C/+43,3°C)
kW at -10°C/+40°C	342,7* (-9,4°C/+43,3°C)
kW at -20°C/+40°C	262,7* (-15°C/+43,3°C)
Obiornik cieczy	✓
Obiornik cieczy ltr.	221
Osuszający filter lini cieczy	✓
Zawór elektromagnetyczny	✓
m ³ / h	928 at 2900/3500 RPM
Uwagi	*Capacity based on Freon type: R134a
Rozmiary	1700x1400x730 mm (LxWxH)
Stock	2



Description

Used Carlyle / Carrier 06TUA554SW1C

Used Carlyle / Carrier 06TUA554SW1C semi-hermetic screw compressor on Freon type R134a. Complete with Carrier 00PSG000252301A liquid receiver with a volume of 221 liters and 2 liquid line filter driers. The compressor has a displacement of 928 m³/h at 2900/3500 RPM.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *If requested we are happy to arrange your logistics.



