

# Danfoss OP-MSXM057MLW05E New condensing unit

## Specifications

Marka	Danfoss
Typ	OP-MSXM057MLW05E New condensing unit
Czynnik chłodzący	Freon
kW at +10°C/+40°C	12,8
kW at 0°C/+40°C	8,9
kW at -5°C/+40°C	7,3
kW at -10°C/+40°C	5,9
kW at -20°C/+40°C	3,9
kW at -30°C/+40°C	2,4
Ciśnieniowe przełączniki bezpieczeństwa	✓
Obiornik cieczy	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Panel kontrolny	✓
m <sup>3</sup> / h	9,9
Uwagi	Y.o.b. 2020
Condensing Unit	✓
Rozmiary	1100x500x700 mm (LxWxH)
Stock	1








## Description

### Used Danfoss OP-MSXM057MLW05E New condensing unit

New Danfoss OP-MSXM057MLW05E condensing unit on Freon. Complete with a Danfoss MLZ026T4LP9A scroll compressor, condenser with 1 Broad-ocean Y7S623B563 fan - 50 Hz - 0,07 kW, liquid receiver, liquid line filter drier and a control panel. The compressor has a displacement of 9,9 m<sup>3</sup>/h at 2900 RPM.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.



<b>OP-MSXM057MLW05E</b>		<b>114X7066</b>			
Application	MBP	IP54	<b>MADE IN INDIA</b>		
Refrigerant	(1) R404A/R507/ R407F/A/R448A/ R449A/R452A	(2) R134a/R513A			
M.W.P HP	(1) 28 bar	(2) 23 bar			
M.W.P LP	(1) 7 bar	(2) 5 bar			
Voltage	400V 3N ~ 50 Hz				
LRA	45.5 A	MCC	10.5 A		
OIL INSIDE	POE 46				
Serial No.	127176CG4520				
EAN No.	5702428562317				
					
					
<small>Danfoss A/S, 6430 Nordborg, Denmark</small>					





