

Bitzer 66G-60.2Y / 6G-30.2Y (x1) & 6GE-34Y-40P (x1)

Specifications

Marka	Bitzer
Typ	66G-60.2Y / 6G-30.2Y (x1) & 6GE-34Y-40P (x1)
Czynnik chłodzący	Freon
kW at -5°C/+40°C	168,0
kW at -10°C/+40°C	138,6
kW at -20°C/+40°C	91,1
kW at -30°C/+40°C	55,8
kW at -40°C/+40°C	30,3
kW at -45°C/+40°C	20,4
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Okno widokowe	✓
m ³ / h	253,6
Uwagi	Y.o.b. 2013 (s.nr: 1684613139)
Waga kg.	491
Rozmiary	1700x600x610 mm (LxWxH)
Stock	1



Description

Used Bitzer 66G-60.2Y / 6G-30.2Y (x1) & 6GE-34Y-40P (x1)

Used Bitzer 66G-60.2Y / 6G-30.2Y (x1) & 6GE-34Y-40P (x1) semi-hermetic reciprocating tandem compressor on Freon. Complete with a pressure safety switches and a sight glasses. The compressor has a displacement of 253,6 m³/h at 50 Hz and 305,8 m³/h at 60 Hz.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *If requested we are happy to arrange your logistics.



