

Bitzer 6F 40.2 Y 40P (x1) & 6GE-34Y-40P (x1)

Specifications

Marka	Bitzer
Typ	6F 40.2 Y 40P (x1) & 6GE-34Y-40P (x1)
Czynnik chłodzący	Freon
kW at -5°C/+40°C	188,8
kW at -10°C/+40°C	156,0
kW at -20°C/+40°C	102,9
kW at -30°C/+40°C	63,6
kW at -40°C/+40°C	35,2
kW at -45°C/+40°C	24,4
Rozładunek	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Okno widokowe	✓
m ³ / h	278,6
Uwagi	Y.o.b. 2013 (s.nr: 1684613142) & y.o.b. 2010 (s.nr: 267880013)
Rozmiary	1600x600x850 mm (LxWxH)
Stock	1



Description

Used Bitzer 6F 40.2 Y 40P (x1) & 6GE-34Y-40P (x1)

Used Bitzer semi-hermetic reciprocating tandem compressor on Freon. Complete with a Bitzer 6F 40.2 Y 40P (x1) & 6GE-34Y-40P (x1) semi-hermetic reciprocating compressors, 2 Ziehl-Abegg FE031-4DZ.0C.3 fans - 0,12/0,19 kW - 1410/1610 RPM - 50/60 Hz, pressure safety switches and sight glasses. The compressor has a displacement of 278,6 m³/h at 50 Hz and 334,9 m³/h at 60 Hz.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *If requested we are happy to



arrange your logistics.





