

# Sabroe SMC 112 L

## Specifications

Marka	Sabroe
Typ	SMC 112 L
Czynnik chłodzący	Freon
kW at +10°C/+40°C	1083,5
kW at 0°C/+40°C	716,6
kW at -5°C/+40°C	570,2
kW at -10°C/+40°C	445,7
Silnik elektryczny Specs	50/60 Hz - 160/184 kW - 1480/1780 RPM
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
Panel kontrolny	✓
m <sup>3</sup> / h	848
Rozmiary	2850x1100x1380 mm (LxWxH)
Stock	1



## Description

### Used Sabroe SMC 112 L

Used Sabroe SMC 112 L R717 (Ammonia) reciprocating compressor on a steel base frame. Complete with a Schorch KN7315S-BB01A-Z electric motor - 50/60 Hz - 160/184 kW - 1480/1780 RPM, Sabroe OVUR 4107D oil separator with a volume of 70 liter and an Unisab 2 controller. The compressor has a displacement of 848 m<sup>3</sup>/h.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*If requested we are happy to arrange your logistics.





