

Goedhart FR38SZ(DX)-61457-400-4p-E (Brand new)

Specifications

Marka	Goedhart
Typ	FR38SZ(DX)-61457-400-4p-E (Brand new)
Ogólna wydajność w kW	6,2
Czynnik chłodzący	CO2
Liczba wentylatorów	1
Średnica wentylatora mm	7
Rozmrażanie	Electric
Przepływ powietrza w m ³ /h	5.800
Rozmiary	Wooden box: 1300x920x1220 mm (LxWxH)
Uwagi	Y.o.b. 2022
Remarks	Surface area: 24 m ²
Volume	9 dm ³
Waga	90 kg
Stock	1



Description

Used Goedhart FR38SZ(DX)-61457-400-4p-E (Brand new)

Brand new Kelvion / Goedhart FR38SZ(DX)-61457-400-4p-E CO2 evaporator with electric defrost. Complete with 1 Ziehl-Abegg FN045-VDI.4F.V7P1 fan - 50 Hz - 0,54/0,36 kW - 1350/1020 RPM - diameter 450 mm and a total airflow of 5.800 m³/h.

*All components of this used evaporator will be tested on good working, leak free condition (electro engines, coils, bearings). Choosing HOSBV means buying with warranty. We perform an industrial cleaning. Also, we can arrange your shipment.



		Kelvion s.r.o. Kostomlátecká 180, Nymburk 288 02, The Czech Republic Tel: +420 325 519 951 www.kelvion.com	
Name Plate			
Article No. / Císlo výrobku:		100813343	
Manufacturing - Serial No. / Date		200517067/10/1/2022	
Vyrobní číslo / rok:		200515064-010, 141570	
Client Ref:		200515064-010, 141570	
Model: Goedhart FR38SZ(DX)-81457-400-4p-E			
Fan(s) 400 V -3-	50	P - Fan(s) Total	640,0 W
		I - Fan(s) Total	1,1 A
Elec. defrost according to wiring diagram		P - Electric Defrost Total	5.890,0 W
		I - Electric Defrost Total	26 A
Heat Exchanger			
Net weight	90 KG	Design pres. PS	60 bar/870 psi
Volume	9,0 dm ³	Design temp. TS	-80/+100
		Test pres. PT	86 bar/1247 psi
		Min./Max all temp	-80 °C/100 °C
Safety device settings			
Fluid group	2	PED cat.	S.E.P.
		Number	1 of 1
		Made in the EC	
			





