

# Searle MDG110-12

## Specifications

Marka	Searle
Typ	MDG110-12
Typ produktu	Air Cooled Condenser
Ogólna wydajność w kW	161,2
Liczba wentylatorów	4
Prdkość obrotów wentylatora (obr/min)	455/350
Czynnik chłodzący	Freon
Przepływ powietrza w m <sup>3</sup> /h	46.080
wentylatory o średnicy Ø 900 mm	
Powierzchnia (m2)	327,1
Objętość rurki	77,3 dm <sup>3</sup>
Rozmiary (LxWxH)	5020x1220x1330 mm
Stock	1




## Description

### Used Searle MDG110-12

Used Searle MDG110-12 air-cooled condenser on Freon. Complete with 4 Searle fans - 50/60 Hz - 0,31/0,16 kW - 455/350 - 540/320 RPM with a total airflow of 46.080 m<sup>3</sup>/h.

\*All components of this used condensers will be tested on good working, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



Model	MDG 110-12				Serial Number	165094		
Medium	HCFCs & HFCs				Date Code	AJ		
Max Pressure	400	PSIG	28	Bar				
FAN MOTORS					TOTAL AMP/PHASE			
No Off	Volts	Phase	Watts	Hz	1	2	3	
4	400D	3	310	50	9.6	9.6	9.6	
	400S				4.8	4.8	4.8	
DEFROST					TOTAL AMP/PHASE			
Volts	Phase	Watts			1	2	3	
<b>searle</b>					 MADE IN THE E.C. Telephone +44 (0)1329 823344			

