

Goedhart KOAL-G-L4490E-C-8P(S)

Specifications

Marka	Goedhart
Typ	KOAL-G-L4490E-C-8P(S)
Typ produktu	Air Cooled Condenser
Ogólna wydajność w kW	359,1
Liczba wentylatorów	4
Prdkość obrotów wentylatora (obr/min)	530/670
Czynnik chłodzący	Freon
Przepływ powietrza w m ³ /h	87.674
wentylatory o średnicy Ø 900 mm	
Powierzchnia (m2)	890
Objętość rurki	147
Rozmiary (LxWxH)	8320x1250x1850 mm
Waga	1220 kg
Uwagi	Y.o.b. 2007
Stock	1



Description

Used Goedhart KOAL-G-L4490E-C-8P(S)

Used Goedhart KOAL-G-L4490E-C-8P(S) air-cooled condenser on Freon. Complete with 4 Süd-Electric MDB-T3140-NAN-U fans - 50 Hz - 1,4/2,1 kW - 530/670 RPM - diameter 900 mm and a total airflow of 87.674 m³/h.

*All components of this used condensor will be tested on adequate functionality, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform an industrial cleaning. on demand, we can arrange your shipment.



Goedhart Cooling Equipment		Holland - Sint Maartensdijk Tel. No.: (+31) 166.665665 Fax No.: (+31) 166.663698 info@goedhart.nl	
Typ. / Modell		Artikel-Nr. / Article-No.: 3001.CAV05-10	
KOAL-G-L4490E-C-8P(S) PJV 071190			
Herstell.-Nr. Manufact.No.	252825 / 0100 / 2007 / 15531776 / 1		
Ventilator(en) Fan(s)	400V-3-50HZ	P _{Ges. Weert.} Total Fans	8400 W
el. Heizung el. Defrost		P _{Ges. Heizung} Total Defrost	W
Rohrininhalt Tube Volume	149,00 ltr	el. Anschlußwert gesamt el. Connection Value Total	P _{Gesamt} Total 8400 W
max. zul. Druck max. all. Pressure	PS _{max} 32 bar	CE	Fluid Gruppe Fluid Group 2
max. zul. Temp. max. all. Temp.	TS _{max} 100 °C		min. zul. Temp. min. all. Temp. TS _{min} -40 °C
Hersteller / Manufacturer : GEA Küba Kältetechnik GmbH			



