

Bitzer 6FE-44Y-40P (x2) Condensing Unit

Specifications

Marka	Bitzer
Typ	6FE-44Y-40P (x2) Condensing Unit
Czynnik chłodzący	Freon
kW at -5°C/+40°C	211,4
kW at -10°C/+40°C	175,0
kW at -20°C/+40°C	116,2
kW at -30°C/+40°C	72,4
kW at -40°C/+40°C	40,8
kW at -45°C/+40°C	28,6
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	125
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Panel kontrolny	✓
m ³ / h	304
Uwagi	Y.o.b. 2012
Rozmiary	7250x2380x1900 mm (LxWxH)
Stock	1



Description

Used Bitzer 6FE-44Y-40P (x2) Condensing Unit

Used Bitzer condensing unit on Freon. Complete with a 2 Bitzer 6FE-44Y-40P semi-hermetic reciprocating compressors, Güntner S-GVHG 080.4A/2x3-M(S) E condenser with a 6 fans - 800 mm diameter, 2 GVN Horizontal Liquid Receivers HLR-COOL-125x2 with a volume of 125 liters, pressure and safety switches/gauges, control cabinet and 2 Güntner controls panels. The compressors have a displacement of 304 m³/h at 50 Hz & 366 m³/h at 60 Hz. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *If requested we are happy to arrange



Your partner for used commercial and industrial refrigeration equipment

your shipment.







