

Goedhart KOAL SXC 154H

Specifications

Marka	Goedhart
Typ	KOAL SXC 154H
Typ produktu	Air Cooled Condenser
Ogólna wydajność w kW	403,6*
Liczba wentylatorów	3
Prdkość obrotów wentylatora (obr/min)	870
Czynnik chłodzący	Freon
Przepływ powietrza w m ³ /h	143.700
wentylatory o średnicy Ø 900	
Powierzchnia (m2)	1789
Objętość rurki	325
Rozmiary (LxWxH)	9650x2370x1300 mm
Waga	1631
Uwagi	*Capacity based on air temperature: +25°C and condensation temperature: +40°C.
Stock	1



Description

Used Goedhart KOAL SXC 154H

Used Goedhart KOAL SXC 154H air-cooled condenser on Freon. Complete with 5 EBM-Papst fans - 50/60 Hz - 1,9 kW - 870 RPM - diameter 900 mm and a total airflow of 143.700 m³/h. New fans are installed with a higher RPM, this gives the condenser a higher airflow and capacity.

*All components of this used condenser will be tested on adequate functionality, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform an industrial cleaning. on demand, we can arrange your shipment.





