


Bitzer 4PCS-15.2Y-40P (x2) / 44PCS-30.2Y-40P

Specifications

Marka	Bitzer
Typ	4PCS-15.2Y-40P (x2) / 44PCS-30.2Y-40P
Czynnik chłodzący	Freon
kW at 0°C/+40°C	80,0
kW at -5°C/+40°C	66,2
kW at -10°C/+40°C	54,2
kW at -20°C/+40°C	34,7
kW at -30°C/+40°C	20,4
kW at -40°C/+40°C	10,0
kW at -45°C/+40°C	6,1
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	56
Ssanie	✓
Separator oleju	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Panel kontrolny	✓



	m ³ /h at 60 Hz
Waga	9700 kg / 2000 Hz & 117
Package / Rack	✓
Rozmiar	1500x900x1800 mm (LxWxH)
Stock	1

Description

Used Bitzer 4PCS-15.2Y-40P (x2) / 44PCS-30.2Y-40P

Used Bitzer 4PCS-15.2Y-40P (x2) / 44PCS-30.2Y-40P semi-hermetic reciprocating tandem compressor on Freon. Complete with a suction accumulator, oil separator, Bitzer F562N liquid receiver with a volume of 56 liter, liquid line filter drier, pressure and safety switches and a control cabinet.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.



