

Sabroe SMC 106 S

Specifications

Marka	Sabroe
Typ	SMC 106 S
Czynnik chłodzący	Freon
kW at 0°C/+40°C	308,0* (0°C/+35°C)
kW at -10°C/+40°C	197,0* (-10°C/+35°C)
Rozładunek	✓
Kontrolka wydajności	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Okno widokowe	✓
m ³ / h	339
Uwagi	Y.o.b. 2015
Uwagi	*Nominal capacities are based on 5°C subcooling and 1500 rpm for R404A.
Waga kg.	925
Rozmiary	1200x850x1100 mm (LxWxH)
Stock	1



Description

Used Sabroe SMC 106 S

Used Sabroe SMC 106 S reciprocating compressor on Freon. Complete with a pressure safety switches/gauges and a sight glass. The compressor has a displacement of 339 m³/h. This compressor worked originally with the following electric motor from the brand Schorch: <https://www.hosbv.com/en/product/19411/electric-motors/Schorch-KN7200M-BB014-151.html> 201071

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. *Optionally we can also perform a new paint job and arrange the logistics.





