

Güntner S-DHN 067C/27

Specifications

Marka	Güntner
Typ	S-DHN 067C/27
Ogólna wydajność w kW	29,4
Czynnik chłodzący	Freon
Liczba wentylatorów	2
Średnica wentylatora mm	7
Rozmrażanie	None
Podwójny odpływ	✓
Przepływ powietrza w m ³ /h	16.940
Rozmiary (LxWxH)	3200x1950x500 mm
Uwagi	Y.o.b. 2019
Volume	44,3 dm ³
Stock	1





Description

Used Güntner S-DHN 067C/27

Used Güntner S-DHN 067C/27 Freon dual discharge evaporator built in 2019. Complete with 2 EBM-Papst S3G650-CM04-H6 fans - 50/60 Hz - 0,45 kW - 900 RPM - diameter 650 mm and a total airflow of 16.940 m³/h.

*All components of this used evaporator will be tested on good working, leak free condition (electro engines, coils, bearings). Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



<small>Güntner GmbH & Co. KG Hans-Güntner-Strasse 2-8 82256 Forstheim/Lehrbach www.guenter.de</small>					
Projektnummer - Project number	101111887				
Gerätebezeichnung - Unit name	S-DHN 067C/27				
Gerät Seriennummer - Unit serial number	404896296940.02006				
Ventilator - Fan	S-VT03.0001				
Umgebungstemperatur - Ambient air temperature	-30 °C / +50 °C				
Herstellungsjahr - Year of manufacture	2019				
Druckgerät Seriennr. - Pressure equipment serial no.	404896280940.02002				
Volumen - Volume (V)	44.3 l				
Max. zulässiger Druck (PS)	32 / 0 bar		0 / -1 bar		
Max. permissible pressure (PS)	32 / 0 bar		0 / -1 bar		
Zulässige min./max. Temperatur (TS)	-50 °C / +100 °C		-50 °C / +40 °C		
Permissible min./max. temperature (TS)	-50 °C / +100 °C		-50 °C / +40 °C		
Prüfdruck(PT)/Prüfmedium - Test pressure(PT)/test medium	35.2 bar / Druckluft - Compressed air				
Prüfdatum - Test date	2019.10.31				
Fluidgruppe / Zustand - Group of fluid / State	2 / gasförmig - gaseous				



