

Bitzer 4PES-10Y-40P (x1) & 4NES-14Y-40P (x2) Compressor unit

Specifications

Marka	Bitzer
Typ	4PES-10Y-40P (x1) & 4NES-14Y-40P (x2) Compressor unit
Czynnik chłodzący	Freon
Refrigerant type	R134a
kW at 0°C/+40°C	82,3
kW at -5°C/+40°C	65,5
kW at -10°C/+40°C	51,4
kW at -20°C/+40°C	29,4
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Separator oleju	✓
Poziom oleju w systemie	✓
Okno widokowe	✓
Panel kontrolny	✓
m ³ / h	161,1
Uwagi	Y.o.b. 2015 (nr 1688210852, 1688302079) & y.o.b. 2014 (nr 1687002223)
Package / Rack	✓
Rozmiary	2300x1400x1400 mm (LxWxH)



Stock

1

Description

Used Bitzer 4PES-10Y-40P (x1) & 4NES-14Y-40P (x2) Compressor unit

Used Rivacold RV4C1431 compressor unit on Freon. Complete with a Bitzer 4PES-10Y-40P (x1) & 4NES-14Y-40P (x2) semi-hermetic reciprocating compressors, Ocs cold oil reservoir, Henry Technologies S-5694 CE oil separator, pressure and safety switches/gauges and a control cabinet with a Carel pR100 controller and Carel pRack display. The compressors have a total displacement of 161,1 m³/h. The capacity is based on the use of Freon type: R134a.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.









