

# Bitzer 4H-15.2Y-40P (x3) & 4J-13.2Y-40P (x2)

## Specifications

Marka	Bitzer
Typ	4H-15.2Y-40P (x3) & 4J-13.2Y-40P (x2)
Czynnik chłodzący	Freon
Refrigerant type	R507
kW at -5°C/+40°C	153,0/87,6*
kW at -10°C/+40°C	126,6/72,2*
kW at -20°C/+40°C	83,7/47,6*
kW at -30°C/+40°C	52,0/29,2*
kW at -40°C/+40°C	29,2/15,9*
kW at -45°C/+40°C	20,4/10,8*
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Przełączniki kondensacji ciśnienia	✓
Okno widokowe	✓
Panel kontrolny	✓
m <sup>3</sup> / h	Cooling: 50 Hz - 221,1 m <sup>3</sup> /h / 60 Hz 266,7 Freezing: 50 Hz - 127,0 m <sup>3</sup> /h / 60 Hz - 153,4 m <sup>3</sup> /h
Uwagi	Y.o.b. 2007



Package / Rack	✓
Rozmiary	3200x800x1950 mm (LxWxH)
Stock	1

## Description

### Used Bitzer 4H-15.2Y-40P (x3) & 4J-13.2Y-40P (x2)

Used Profroid VZP330-4010SAT2 central cooling and freezing installation on Freon. Complete with 3 Bitzer 4H-15.2Y-40P (Cooling) & 2 Bitzer 4J-13.2Y-40P (Freezing) semi-hermetic reciprocating compressors, brazed heat exchanger for heat recovery, pressure and safety switches and a control cabinet with Danfoss controllers. The cooling compressors have a total displacement of 221,1 m<sup>3</sup>/h at 50 Hz & 266,7 m<sup>3</sup>/h at 60 Hz and the freezing compressors have a displacement of 50 Hz - 127 m<sup>3</sup>/h & 153,4 m<sup>3</sup>/h at 60 Hz. \*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. \*Optionally we can also perform a new paint job and arrange the logistics.









