

Sabroe PAC 202 LM-A

Specifications

| | |
|----------------------------|------------------------------|
| Marka | Sabroe |
| Typ | PAC 202 LM-A |
| Typ produktu | Water Cooled Chiller |
| Ogólna wydajność w kW | 1668,0 |
| Ogólna wydajność w | 474,3 |
| Tonaż | |
| Czynnik chłodzący | NH 3 (ammonia) |
| Typ czynnika chłodzącego | R717 |
| Waga kg. | 10.700 |
| Rozmiary | 5700x2330x3100 mm (LxWxH) |
| Compressor(s) type & model | Sabroe SAB 202 LM |
| Display | Siemens TP700 Comfort |
| Uwagi | Y.o.b. 2003 |
| Stock | 1 |



Description

Used Sabroe PAC 202 LM-A

Used Sabroe PAC 202 LM-A water cooled chiller on R717 (Ammonia). Complete with 1 Sabroe SAB 202 LM screw compressor, Schorch KN7315L-AX01B-Z electric motor - 50/60 Hz - 315/360 kW - 2965/3565 RPM, Sabroe OHU 4131 oil separator with a volume of 610 liter, Sabroe GHEA 083002-C separator with a volume of 1650 liter, Alfa Laval MK15-BWFGR plate heat exchanger, Alfa Laval MK15-BWFDR plate heat exchanger and a control cabinet with a Siemens TP700 Comfort controller. The chiller has a capacity of 1668 kW at a water inlet of 12°C and outlet 6°C.

*All components of this used chiller will be tested on adequate performance, leak free condition (condensing blocks, compressors, fans, control panel and so



forth). Choosing HOSBV means buying with warranty. We perform a industrial cleaning if requested we can arrange your shipment.









