

Bitzer 4PES-15Y-40P (Overhauled)

Specifications

Marka	Bitzer
Typ	4PES-15Y-40P (Overhauled)
Czynnik chłodzący	Freon
kW at 0°C/+40°C	39,8
kW at -5°C/+40°C	32,5
kW at -10°C/+40°C	26,3
kW at -20°C/+40°C	16,5
kW at -30°C/+40°C	9,5
kW at -40°C/+40°C	4,7
kW at -45°C/+40°C	3,0
Okno widokowe	✓
m ³ / h	50 Hz - 48,5 m ³ /h / 60 Hz - 58 m ³ /h
Uwagi	Y.o.b. 2020
Waga kg.	153
Rozmiary	720x300x390 mm (LxWxH)
Stock	1



Description

Used Bitzer 4PES-15Y-40P (Overhauled)

Overhauled Bitzer 4PES-15Y-40P semi-hermetic reciprocating compressor on Freon with a sight glass. The compressor has a displacement of 48,5 m³/h at 50 Hz & 58 m³/h at 60 Hz. *Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. *Optionally we can also perform a new paint job and arrange the logistics.



