

Grasso RC611 Compressor unit

Specifications

Marka	Grasso
Typ	RC611 Compressor unit
Czynnik chłodzący	NH 3 (ammonia)
kW at +10°C/+40°C	990,1*
kW at 0°C/+40°C	662,8*
kW at -5°C/+40°C	532,3*
kW at -10°C/+40°C	418,5*
Silnik elektryczny Specs	50 Hz / 132 kW / 1475 RPM
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Separator oleju	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
m ³ / h	798
Uwagi	Y.o.b. 2009
Uwagi	*Capacity based on NH ₃ - 1000 RPM.
Rozmiary	2850x1750x1900 mm (LxWxH)
Stock	1



Description

Used Grasso RC611 Compressor unit

Used Grasso RC 611 single-stage reciprocating compressor unit on NH₃ (Ammonia). Complete with a AEG Schorch GmbH KN7280M-BB01B-203 electric motor: 50/60 Hz - 132/152 kW - 1475/1775 RPM, Grasso OA 100 A - T oil separator with a volume of 321 liters, pressure and safety switches/gauges and a sight glass. The compressor has a displacement of 798 m³/h at 1000 RPM.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.





