

Bitzer 4FE-25Y-40P

Specifications

Marka	Bitzer
Typ	4FE-25Y-40P
Czynnik chłodzący	Freon
Refrigerant type	R134a
kW at 0°C/+40°C	52,9*
kW at -5°C/+40°C	42,8*
kW at -10°C/+40°C	34,2*
kW at -20°C/+40°C	21,0*
kW at -30°C/+40°C	16,0* (-25°C/+40°C)
Kontrolka wydajności	✓
Poziom oleju w systemie	✓
Okno widokowe	✓
Zawór	✓
elektromagnetyczny	
m ³ / h	101,8
Uwagi	Y.o.b. 2010
Uwagi	*Capacity based on Freon R134a
Waga kg.	204
Rozmiary	750x520x520 mm (LxWxH)
Stock	1



Description

Used Bitzer 4FE-25Y-40P

Used Bitzer 4FE-25Y-40P semi-hermetic reciprocating compressor on Freon. Complete with a Emerson OM3-CUA oil level system AC&R and sight glass. The compressor has a displacement of 101,8 m³/h at 50Hz. Capacity based on the use of R134a.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.



