

Kuba SPBE 082D

Specifications

Marka	Kuba
Typ	SPBE 082D
Ogólna wydajność w kW	21,9
Czynnik chłodzący	Freon
Liczba wentylatorów	2
Średnica wentylatora mm	7
Rozmrażanie	Electric
Przepływ powietrza w m ³ /h	11.760
Rozmiary	2420x580x640 mm (LxWxH)
Uwagi	Y.o.b. 2009
Volume	21,5 dm ³
Waga	114 kg
Stock	3




Description

Used Kuba SPBE 082D

Used Kuba SPBE 082D Freon evaporator with electric defrost. Complete with 2 EBM-Papst S4D500-AK14-06 fans - 50/60 Hz - 0,57/0,83 kW - 1350/1450 RPM - diameter 500 mm and a total airflow of 11.760 m³/h.

*All components of this used evaporator will be tested on good working, leak free condition (electro engines), coils, bearings. Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



GEA		GEA Küba GmbH	
Oberdiller Straße 23 - D-52065 Baierbrunn - Tel:++49(0)89/74473-0 - Fax:++49(0)89/74473-100			
Typ / Modell	Artikel-Nr. / Article-No.:	4263.082	
SPBE 082 D HOCHLEISTUNGS-LUFTK MARKET PLUS SP			
Herstell-Nr. Manufact.No.	P0210083 / 2009 / 00332945 / 1		
Ventilator(en) Fan(s)	400V-3-50/60HZ	P _{Ges. Vent.} Total Fane	1130 W
el. Heizung el. Defrost	230V-1-50/60HZ	P _{Ges. Heizung Total Defrost}	13550 W
Rohrinhalt Tube Volume	21.50 ltr	el. Anschlußwert gesamt el. Connection Value Total	P _{Gesamt Total} 14680 W
 Made in Germany			
max. zul. Druck max. all. Pressure	PS _{max} 32 bar	Fluid Gruppe Fluid Group	2
max. zul. Temp. max. all. Temp.	TS _{max} 100 °C	min. zul. Temp. min. all. Temp.	TS _{min} -40 °C

