

# Cabero ACDND107KF/2x7S

## Specifications

Marka	Cabero
Typ	ACDND107KF/2x7S
Typ produktu	Drycooler
Ogólna wydajność w kW	826,0*
Liczba wentylatorów	14
Prdkość obrotów wentylatora (obr/min)	330/460 RPM
Czynnik chłodzący	Glycol
Przepływ powietrza w m <sup>3</sup> /h	213.000
wentylatory o średnicy Ø 1000 mm	
Powierzchnia (m2)	3801,2 m <sup>2</sup>
Rozmiary (LxWxH)	10240x2350x2595 mm
Uwagi	Y.o.b. 2010
Remarks	*Capacity based on inlet/outlet temperature: +40°C/+60°C & air inlet: 25°C
Stock	8



## Description

### Used Cabero ACDND107KF/2x7S

Used Cabero ACDND107KF/2x7S-72S72-2 drycooler. Complete with 14 Süd-Electric MDB-T3100-PNN-N fans - 50 Hz - 0,48/0,80 kW - 330/460 RPM - diameter 1000 mm and a total airflow of 213.000 m<sup>3</sup>/h.

\*Capacity based on inlet/outlet temperature: +40°C/+60°C & air inlet: 25°C.

\*All components of this used condensers will be tested on good working, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also, we can arrange your shipment.





