

Trotec DF 400

Specifications

Marka	Trotec
Rodzaj	DF 400
Stock	17



Description

Used Trotec DF 400

Used Trotec DF 400 dehumidifier. Ideal for building drying, water damage and other demanding tasks. Recommended room size building drying 190 m² of 470 m³. Maximal dehumidification capacity: 75 ltr/24h 65 ltr/24h at 30°C/80% r.h. 30 ltr/24h at 20°C/60% r.h. Sizes: 480x525x820 mm (LxWxH)
Niet voor verkoop binnen de Benelux.



DRYFAST BVBA
KREEKWEG 22, NL-3133 A2
VILAARDINGEN, NETHERLANDS

Model
 Modell
 Modèle
 Modelo

DF400

Serial No.
 Serie Nr.
 Série No.
 No. De

180696 F09

Volts	Phase	HZ/AC
230	~ 1N	50

Max System Pressure HP 20.6 bar
 Betriebstestdrucke
 Pression Max LP 10.3 bar
 Presion Max

Machine F.L.A. **6.15** Amps
 Max. Stromaufnahme
 Ampères Maxi
 Amperio Max

Max Supply Fuse **13** Amps
 Max Absicherung
 Ampères Fusible
 Fusible Max

Hermetic system / hermetisches System
 Système hermétique / Sistema hermético

	R	Kg
Gas Charge Kältemittelfüllung Charge Réfrigérant Carga Réfrigerante	407c	0.51

Enclosure **22**
 Schutzart
 Protection
 Protección

	N/A	N/A
Water Flow Wasserdurchsatz Débit d'eau Caudal Aire Litres/Minute Liter pro Minute Litres/Minute Litros/Minuto	N/A	N/A %

D64026550 ISS 10

