

Searle SM162-66-P1

Specifications

Marka	Searle
Typ	SM162-66-P1
Ogólna wydajność w kW	19,4
Czynnik chłodzący	Freon
Liczba wentylatorów	2
Średnica wentylatora mm	7
Rozmrażanie	Electric
Przepływ powietrza w m ³ /h	9.216
Rozmiary (LxWxH)	3060x850x1000 mm
Volume	30 dm ³
Waga	436 kg
Stock	1



Description

Used Searle SM162-66-P1

Used Searle SM162-66-P1 Freon evaporator with electric defrost. Complete with 2 Ziehl-Abegg FB063-SDK.4I.6S fans - 50 Hz - 0,72/0,47 kW - 870/650 RPM - diameter 630 mm and a total airflow of 9.216 m³/h.

*All components of this used evaporator will be tested on good working, leak free condition (electro engines, coils, bearings). Choosing HOSBV means buying with warranty. We perform an industrial cleaning. Also, we can arrange your shipment.



Model SM162-66-P1		Serial Number 313798		
Medium (Group) HCFC & HFC (2)		Date Code FD		
Max Pressure 21 bar		Receiver Volume ltr		
Coil Volume -		Net Weight 436 kg		
Safety Device Settings -		MOTOR SUPPLY		
No. Off x Power	Conn-Volt-Phase-Freq	1	2	3
2 x 720 W	400V-3Ph-50Hz	2.8		
DEFROST		TOTAL AMPS/PHASE		
Power	Voltage-Phase	1	2	3
19000 W	400V-3Ph	28.9	28.9	28.9
searle		CE		
Fareham, UK, PO14 1AR		MADE IN THE E.C.		



