

Tecumseh SILAGD2544ZTZ Condensing unit

Specifications

Marka	Tecumseh
Typ	SILAGD2544ZTZ Condensing unit
Czynnik chłodzący	Freon
kW at -10°C/+40°C	13,8*
kW at -20°C/+40°C	9,4*
kW at -30°C/+40°C	5,6*
kW at -40°C/+40°C	2,5*
Uwagi	Y.o.b. 2019
Uwagi	*Capacity based on a condensing temperature of 43°C
Waga kg.	290
Rozmiary	1750x750x1450 mm (LxWxH)
Stock	1



Description

Used Tecumseh SILAGD2544ZTZ Condensing unit

Used Tecumseh SILAGD2544ZTZ Condensing unit on Freon. Complete with 2 Tecumseh TAGP2522Z compressors, condenser with 2 EBM-Papst fans - 50/60 Hz - 0,18 kW - 870 RPM - diameter 500 mm and a total airflow of 6.600 m³/h and a liquid receiver. *Capacity based on a condensing temperature of 43°C. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.





