

Tecumseh SILAG2516ZTZ Condensing unit

Specifications

Marka	Tecumseh
Typ	SILAG2516ZTZ Condensing unit
Czynnik chłodzący	Freon
kW at -10°C/+40°C	5,8*
kW at -20°C/+40°C	3,7*
kW at -30°C/+40°C	2,0*
kW at -40°C/+40°C	0,7*
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Obiornik cieczy	✓
Okno widokowe	✓
Uwagi	Y.o.b. 2019
Uwagi	*Capacity based on a condensing temperature of 43°C
Waga kg.	128
Rozmiary	1150x650x800 mm (LxWxH)
Stock	1



Description

Used Tecumseh SILAG2516ZTZ Condensing unit

Used Tecumseh SILAG2516ZTZ condensing unit on Freon. Complete with 1 Tecumseh TAG2561Z piston compressor, condenser with 1 fan that produces an airflow of 2970 m³/h, liquid receiver, liquid line filter drier and a pressure and safety switch.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.



