

Howden MK6/WRV20416536/1972

Specifications

Marka	Howden
Typ	MK6/WRV20416536/1972
	2
Czynnik chłodzący	NH 3 (ammonia)
kW at 0°C/+40°C	946,0
kW at -5°C/+40°C	760,0
kW at -10°C/+40°C	596,0
kW at -20°C/+40°C	336,0
kW at -30°C/+40°C	151,0
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Separator oleju	✓
Stock	1



Description

Used Howden MK6/WRV20416536/1972

Used Howden MK6/WRV20416536/1972 Screw compressor on NH₃ (Ammonia). Complete with a 2EC 2EC-315LA-2 electric motor - 50/60 Hz - 250/288 kW - 2970/3570 RPM, Ferguson T70 oil separator with a volume of 770 liter, Transitherm B219/2500-1W oil cooler, Viking Pump AK4195 oil pump, 2 Ferguson MMF 20 oil filters and pressure and safety switches/gauges.
 *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.
 *Optional we can also perform a new paint job and arrange the logistics.







