

Grasso 7212

Specifications

Marka	Grasso
Typ	7212
Czynnik chłodzący	NH 3 (ammonia)
kW at -40°C/+40°C	129,3*
Silnik elektryczny Specs	50/60 Hz - 132/158 kW - 988/1188 RPM
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Separator oleju	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
m ³ / h	929,0
Uwagi	Y.o.b. 2012
Uwagi	*Capacity based on the following temperatures: -35°C/+40°C and 1000 RPM
Stock	1



Description

Used Grasso 7212

Used Grasso 7212 NH₃ reciprocating compressor. Complete with a Rotor 5RN315L06A7 electric motor - 50/60 Hz - 132/158 kW - 988/1188 RPM, oil separator, pressure and safety switches/gauges. The compressor has a displacement of 929 m³/h. Used Grasso 7212 reciprocating compressor on NH₃ (Ammonia). Complete with a weg 315S/M-06 electric motor - 50 Hz - 132 kW - 990 RPM, oil separator and pressure and safety switches/gauges. The compressor has a displacement of 929 m³/h at 1000 RPM. *Capacity based on the following temperatures: -35°C/+35°C.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test,



warranty and industrial cleaning.
*Optional we can also perform a new
paint job and arrange the logistics.

