

Güntner GFD 090.1A/2x6-LD1H/2P.E

Specifications

Marka	Güntner
Typ	GFD 090.1A/2x6-LD1H/2P.E
Typ produktu	Drycooler
Ogólna wydajność w kW	855,0
Liczba wentylatorów	12
Prdkość obrotów wentylatora (obr/min)	650
Czynnik chłodzący	Glycol
Przepływ powietrza w m ³ /h	176.600
wentylatory o średnicy Ø 910 mm	
Powierzchnia (m ²)	2371,9 m ²
Objętość rurki	468 dm ³
Rozmiary (LxWxH)	8150x2350x2550 mm
Waga	2903 kg
Uwagi	Y.o.b. 2013
Remarks	*Capacity based on inlet/outlet temperature: +45°C/+40°C & air inlet: 32°C
Stock	2



Description

Used Güntner GFD 090.1A/2x6-LD1H/2P.E

Used Güntner GFD 090.1A/2x6-LD1H/2P.E drycooler. Complete with 12 Ebm-papst S3G910-CO83-09 fans - 50/60 Hz - 0,67 kW - 650 RPM - diameter 910 mm and a total airflow of 176.600 m³/h. *Capacity based on inlet/outlet temperature: +45°C/+40°C & air inlet: 32°C. *All components of this used condensor will be tested on adequate functionality, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform an industrial cleaning. on demand, we can arrange your shipment.









