

Bitzer HSK5363-40-40P

Specifications

Marka	Bitzer
Typ	HSK5363-40-40P
Czynnik chłodzący	Freon
kW at 0°C/+40°C	113,7
kW at -5°C/+40°C	98,3
kW at -10°C/+40°C	84,4
kW at -20°C/+40°C	60,3
Rozładunek	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	125
Separator oleju	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
m ³ / h	118
Uwagi	Y.o.b. 2012
Rozmiary	1800x1150x2000 mm (LxWxH)
Stock	1



Description

Used Bitzer HSK5363-40-40P

Used Bitzer HSK5363-40-40P semi-hermetic screw compressor unit. Complete with a Frigomec FSR 125+2SGR9+SV+R7 liquid receiver with volume of 125 liters, Bitzer OA1954 oil separator, Alfa Laval CB76-30H brazed heat exchanger, pressure and safety switches/gauges, liquid line filter drier and a sight glass. The displacement of the compressor is 118 m³/h at 50 Hz and 142 m³/h at 60 Hz.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning.
*Optionally we can also perform a new paint job and arrange the logistics.





