

DWM D8SK1-700X-BWM/D

Specifications

Marka	DWM
Typ	D8SK1-700X-BWM/D
Czynnik chłodzący	Freon
kW at +10°C/+40°C	240,0*
kW at 0°C/+40°C	164,6*
kW at -5°C/+40°C	133,8*
kW at -10°C/+40°C	107,0*
kW at -20°C/+40°C	64,0*
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	81
Separator oleju	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Panel kontrolny	✓
m ³ / h	210
Uwagi	Y.o.b. 2001
Uwagi	*Capacity based on Freon type: R407C.
Package / Rack	✓
Rozmiary	1930x1150x1850 mm (LxWxH)



Stock

1

Description

Used DWM D8SK1-700X-BWM/D

Used DWM/Copeland D8SK1-700X-BWM/D semi-hermetic reciprocating compressor unit on Freon. Complete with a A. Torrecilla S.A. 1709071 liquid receiver with a volume of 81 liters, Henry Technologies S-5412-CE oil separator, pressure safety switches/gauges, sight glass and control cabinet. The compressor has a displacement of 210 m³/h at 50 Hz. *Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.





