

# Mycom FM160L-L

## Specifications

Marka	Mycom
Typ	FM160L-L
Czynnik chłodzący	NH 3 (ammonia)
Silnik elektryczny Specs	50/60 Hz - 132/152 kW - 2975/3570 RPM
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Separator oleju	✓
Okno widokowe	✓
Panel kontrolny	✓
Uwagi	Y.o.b. 2007
Waga kg.	3200 kg
Rozmiary	3298x1308x1768 mm (LxWxH)
Stock	1



## Description

### Used Mycom FM160L-L

Used Mycom / Mayekawa FM160L-L screw compressor skid on NH3 (Ammonia). Complete with 2EC 2EC-ODP280M-2 electric motor - 50/60 Hz - 132/152 kW - 2975/3570 RPM, Mycom HS 6023 oil separator with a volume of 700 liter, Mycom OC 15245-V oil cooler, 2 Mayekawa OFC 50 oil filter, pressure and safety switches/gauges and a control cabinet with a Mycom MYPRO-CP3 controller.

\*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also perform a new paint job and arrange the logistics.





