

Goedhart VCI-Bi 62568 EDF

Specifications

Marka	Goedhart
Typ	VCI-Bi 62568 EDF
Ogólna wydajność w kW	28,3
Czynnik chłodzący	Freon
Liczba wentylatorów	2
Średnica wentylatora mm	8
Rozmrażanie	Electric
Przepływ powietrza w m ³ /h	20.752
Rozmiary	2650x1870x880 mm (LxWxH)
Uwagi	Y.o.b. 2014
Volume	36 dm ³
Waga	380 kg
Stock	2



Description

Used Goedhart VCI-Bi 62568 EDF

Used Goedhart VCI-Bi 62568 EDF Freon evaporator with electric defrost. Complete with 2 Ziehl-Abegg FN056-VDW.4M.A7P2 fans - 50 Hz - 1,05/0,58 kW - 1280/910 RPM - diameter 560 mm and a total airflow of 20.752 m³/h.

*All components of this used evaporator will be tested on good working, leak free condition (electro engines, coils, bearings). Choosing HOSBV means buying with warranty. We perform an industrial cleaning. Also, we can arrange your shipment.



GEA Goedhart B.V.
Nijenheidsweg 6 4695 RC Sint-Maartensdijk, The Netherlands
Tel: +31(0)166 665 665 www.goedhart.nl

Man. no.:	PJV141994, VK1401480 / 340807040		
Type:	VCI-Bi 62568 EDF		
Number:	2	of	2
Year:	2014		
Client ref.:	1401713		
M.:	380 kg	-	TS: 55/-35 °C
V:	36 dm ³	CE	PS: 28 bar
	-		PT: 40 bar
Fluid:	R507-DX		

Goedhart Manufactured by GEA Heat Exchangers a.s.



