

# Jaeggi HTK 2.4/6.6-2S-P2-CU-SLNF

## Specifications

Marka	Jaeggi
Typ	HTK 2.4/6.6-2S-P2-CU-SLNF
Typ produktu	Drycooler
Ogólna wydajność w kW	1256,0
Liczba wentylatorów	2
Prdkość obrotów wentylatora (obr/min)	470
Czynnik chłodzący	Glycol
Przepływ powietrza w m <sup>3</sup> /h	185.033
wentylatory o średnicy Ø	1856 mm
Objętość rurki	1120 dm <sup>3</sup>
Rozmiary (LxWxH)	8300x2500x4000 mm
Waga	6716 kg
Uwagi	Y.o.b. 2014
Remarks	*Capacity based on inlet/outlet temperature: +34°C/+29°C & air inlet: 32°C
Stock	2



## Description

### Used Jaeggi HTK 2.4/6.6-2S-P2-CU-SLNF

Used Jaeggi HTK 2.4/6.6-2S-P2-CU-SLNF drycooler. Complete with 2 fans that are belt driven by a WEG 3132S-04 electric motor - 50 Hz - 5,5 kW - 1455 RPM. Further the drycooler comes with a control cabinet with 2 Allen-Bradley 22B-D017N104 frequency drives, 2 Allen-Bradley 22A-D2P3N104 frequency drives and a Allen-Bradley controller. \*Capacity based on inlet/outlet temperature: +34°C/+29°C & air inlet: 32°C

\*All components of this used condensor will be tested on adequate functionality, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform an industrial cleaning. on demand, we can



arrange your shipment.









