

# Bitzer HSN7461-70-40P (x2) & HSN 7471-75 (x2)

## Specifications

Marka	Bitzer
Typ	HSN7461-70-40P (x2) & HSN 7471-75 (x2)
Czynnik chłodzący	Freon
Refrigerant type	R404A
kW at -20°C/+40°C	470,2
kW at -30°C/+40°C	323,2
kW at -40°C/+40°C	211,0
kW at -45°C/+40°C	165,8
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	250
Separator oleju	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Panel kontrolny	✓
m <sup>3</sup> / h	940



nr:1094200710)  
y.o.b. 2014 (s.  
nr:1086202062)  
yo.b. 2000 (s.  
nr:1587474 & s.  
nr:15850476)

Paquete / Rack	Y.o.b. 2018 (s.
Rozmiar	5000x1400x2200 mm (LxWxH)
Stock	1

## Description

### Used Bitzer HSN7461-70-40P (x2) & HSN 7471-75 (x2)

Used Bitzer HSN7461-70-40P (x2) & HSN 7471-75 (x2) semi-hermetic screw compressors rack on Freon. Complete with a Bitzer x2 HSN7461-70-40P & x2 Bitzer HSN 7471-75 semi-hermetic screw compressors, Alfa Laval CB 52-50HX brazed heat exchanger as economizer, Alfa Laval AC120-110EQ brazed heat exchanger for heat recovery, Bitzer OA 9011 oil separator with a volume of 228 liters, C+F RLV 250 liquid receiver with a volume of 250 liters and a control cabinet with a Siemens TD200 controller. The compressors have a displacement of 940 m<sup>3</sup>/h at 50 Hz & 1128 m<sup>3</sup>/h at 60 Hz.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. \*Optionally we can also perform a new paint job and arrange the logistics.











