

Systemair AQVH 115 HSE

Specifications

Marka	Systemair
Typ	AQVH 115 HSE
Typ produktu	Heat pump
Ogólna wydajność w kW	115,0
Ogólna wydajność w	32,7
Tonaż	
Czynnik chłodzący	Freon
Typ czynnika chłodzącego	R410A
Waga kg.	1240
Rozmiary	2960x1170x2520 mm (LxWxH)
Compressor(s) type & model	4x Copeland ZP120KCE-TFD-425
Display	Carel pGD1
Number of fans	2
Fan specifications	50/60 Hz - 3,1 kW - 1100 RPM - diameter 800 mm
Uwagi	Y.o.b. 2012
Stock	2



Description

Used Systemair AQVH 115 HSE

Used Aggreko WCCHP100 / Systemair AQVH 115 HSE heat pump on R410A. Complete with 4 Copeland ZP120KCE-TFD-425 scroll compressors, heat exchanger with 2 EBM-Papst fans - 50/60 Hz - 3,1 kW - 1100 RPM - diameter 800 mm, brazed heat exchanger, liquid receiver, suction accumulator and a control cabinet with a Carel pGD1 controller.
 *All components of this used chiller will be tested on adequate performance, leak free condition (condensing blocks, compressors, fans, control panel and so forth). Choosing HOSBV means buying with warranty. We perform a industrial cleaning if requested we can arrange your shipment.





