

Güntner GVH 090.2B/2x3-E(J).E

Specifications

| | |
|--|-----------------------|
| Marka | Güntner |
| Typ | GVH 090.2B/2x3-E(J).E |
| Typ produktu | Air Cooled Condenser |
| Ogólna wydajność w kW | 340,5 |
| Liczba wentylatorów | 6 |
| Prdkość obrotów wentylatora (obr/min) | 485 |
| Czynnik chłodzący | Freon |
| Przepływ powietrza w m ³ /h | 87.000 |
| wentylatory o średnicy Ø 910 mm | |
| Powierzchnia (m2) | 1212,5 m ² |
| Objętość rurki | 144,7 dm ³ |
| Rozmiary (LxWxH) | 7900x2300x1420 mm |
| Waga | 1252 kg |
| Uwagi | Y.o.b. 2016 |
| Stock | 1 |





Description

Used Güntner GVH 090.2B/2x3-E(J).E

Used Güntner GVH 090.2B/2x3-E(J).E air-cooled condenser on Freon. Complete with 6 Ebm-papst S3G910-BN46-29 fans - 50/60 Hz - 0,29 kW - 485 RPM - diameter 910 mm and a total airflow of 87.000 m³/h. *All components of this used condensers will be tested on good working, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



| | | | | | |
|---|--|---|--|---|--|
| Güntner GmbH & Co. KG Hans-Güntner-Str. 2-6 62256 Fürstenfeldbruck www.guentner.de | |  | |  | |
| Projektnummer - Project number | | 101039643 | | | |
| Gerätebezeichnung - Unit name | | GVH 090.2B/2x3-E(J).E | | | |
| Gerät Seriennummer - Unit serial number | | 404457700/41.00794 | | | |
| Ventilator/D/Drehzahl/Stromaufn. - Fan/D/Speed/Current | | VT03026U / 1227 / 485 min -1 / 1.4 A | | | |
| Umgebungstemperatur - Ambient air temperature | | -30 °C / +60 °C | | | |
| Herstellungsjahr - Year of manufacture | | 2016 | | | |
| Druckgerät Seriennr. - Pressure equipment serial no. | | 404457701/41.00795 | | | |
| Volumen - Volume (V) | | 144.7 l | | | |
| Max. zulässiger Druck (PS) | | 32 / 0 bar | | 0 / -1 bar | |
| Max. permissible pressure (PS) | | 32 / 0 bar | | 0 / -1 bar | |
| Zulässige min./max. Temperatur (TS) | | -50 °C / +100 °C | | -5 °C / +40 °C | |
| Permissible min./max. temperature (TS) | | -50 °C / +100 °C | | -5 °C / +40 °C | |
| Prüfdruck (PT) / Prüfmedium | | 35.2 bar / Druckluft - Compressed air | | | |
| Test pressure (PT) / Test medium | | 35.2 bar / Druckluft - Compressed air | | | |
| Prüfdatum - Test date | | 2016.11.21 | | | |
| Fluidgruppe / Zustand - Group of fluid / State | | 2 / gasformig - gaseous | | | |

QRI-10003485



