

# Sabroe SMC108L-HP

## Specifications

Marka	Sabroe
Typ	SMC108L-HP
Czynnik chłodzący	NH 3 (ammonia)
Refrigerant type	R717
kW at +10°C/+40°C	722,4
kW at 0°C/+40°C	477,8
kW at -5°C/+40°C	297,1
Silnik elektryczny Specs	50 Hz - 110 kW - 1475 RPM
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Separator oleju	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
m <sup>3</sup> / h	551,0
Uwagi	Y.o.b. 1995
Rozmiary	2250x1100x1650 mm (LxWxH)
Stock	1



## Description

### Used Sabroe SMC108L-HP

Used Sabroe SMC108L-HP reciprocating compressor on NH<sub>3</sub> (Ammonia). Complete with an Schorch KN7280S-BB01B-401 electric motor - 50/60 Hz - 110/127 kW - 1475/1775 RPM, Seriaco S300/10 oil separator with a volume of 80 liters and pressure and safety switches/gauges. The compressor has a displacement of 551,0 m<sup>3</sup>/h at 1460 RPM.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. \*Optionally we can also perform a new paint job and arrange the logistics.





