

Bitzer HSK 5363-40 (x1) & HSK 6451-50 (x2)

Specifications

Marka	Bitzer
Typ	HSK 5363-40 (x1) & HSK 6451-50 (x2)
Czynnik chłodzący	Freon
kW at 0°C/+40°C	383,9
kW at -5°C/+40°C	330,7
kW at -10°C/+40°C	283,0
kW at -20°C/+40°C	201,5
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	120
Separator oleju	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
Panel kontrolny	✓
m3 / h	398,0



Uwagi	Y.o.b. 2002 (s. nr: 16290844) y.o.b. 2001 (s.nr: 16060601)
-------	---

Package / Rack	✓
Rozmiary	3600x1450x2150 mm (LxWxH)
Stock	1

Description

Used Bitzer HSK 5363-40 (x1) & HSK 6451-50 (x2)

Used Bitzer HSK 5363-40 (x1) & HSK 6451-50 (x2) semi-hermetic screw compressor rack on Freon with a economizer. Complete with C+F RLV.120 liquid receiver with a volume of 120 liters, Bitzer OA4088 oil separator with a volume of 88 liters, Alfa Laval AC-50X-30H brazed heat exchanger for heat recovery, pressure and safety switches/gauges and a control cabinet with a Yokogawa UM330 indicator. The compressors have a total displacement of 398,0 m³/h at 50 Hz & 478,0 m³/h at 60 Hz. The capacities are with a economizer. *Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics







