

Bitzer 4FC-5.2 Y (x3) & 2CC-4.2 Y (x1) & 2FC-3.2 Y (x1)

Specifications

Marka	Bitzer
Typ	4FC-5.2 Y (x3) & 2CC-4.2 Y (x1) & 2FC-3.2 Y (x1)
Czynnik chłodzący	Freon
kW at 0°C/+40°C	62,0
kW at -5°C/+40°C	51,5
kW at -10°C/+40°C	42,3
kW at -20°C/+40°C	27,6
kW at -30°C/+40°C	16,6
kW at -40°C/+40°C	8,7
kW at -45°C/+40°C	5,7
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Separator oleju	✓
Poziom oleju w systemie	✓
Okno widokowe	✓
m ³ / h	80
Package / Rack	✓
Rozmiary	3150x1300x1020 mm (LxWxH)
Stock	1



Description

Used Bitzer 4FC-5.2 Y (x3) & 2CC-4.2 Y (x1) & 2FC-3.2 Y (x1)

Used Bitzer 4FC-5.2 Y (x3) & 2CC-4.2 Y (x1) & 2FC-3.2 Y (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with Henry Technologies S-9109-CE, oil separator, pressure and safety switches/gauges and a oil level systems AC&R. The compressors have a total displacement of 80,0 m³/h at 50 Hz & 96,0 m³/h at 60 Hz.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange



Your partner for used commercial and industrial refrigeration equipment

the logistics





