

# Clint CHA/K/FC 1048-P TX/SL/IS/GF/NS

## Specifications

|                            |  |
|----------------------------|--|
| Marka                      | Clint  |
| Typ                        | CHA/K/FC 1048-P<br>TX/SL/IS/GF/NS                        |
| Typ produktu               | Air Cooled Chiller                                       |
| Ogólna wydajność w kW      | 328,0  |
| Ogólna wydajność w         | 93,3   |
| Tonaż                      |  |
| Czynnik chłodzący          | Freon  |
| Typ czynnika chłodzącego   | R410A  |
| Pump                       | ✓  |
| Waga kg.                   | 3640   |
| Rozmiary                   | 5010x2200x2450 mm<br>(LxWxH)                             |
| Compressor(s) type & model | 8x Danfoss SH161A4ALC                                    |
| Display                    | Danfoss MMIGRS2  |
| Number of fans             | 8  |
| Fan specifications         | 50 Hz - 1,9/1,1 kW -<br>870/630 RPM - diameter<br>800 mm |
| Uwagi                      | Y.o.b. 2017  |
| Stock                      | 1  |



## Description

### Used Clint CHA/K/FC 1048-P TX/SL/IS/GF/NS

Used Clint CHA/K/FC 1048-P TX/SL/IS/GF/NS air-cooled chiller on R410A with free cooling. Complete with 8 Danfoss SH161A4ALC scroll compressors, condenser with 8 Ziehl-Abegg FN080-SDQ.6N.V7P5 fans - 50 Hz - 1,9/1,1 kW - 870/630 RPM - diameter 800 mm and a total airflow of 129.960 m<sup>3</sup>/h, 2 brazed heat exchangers, water pump, expansion vessel and a control cabinet with a Danfoss MMI controller.

\*All components of this used chiller will be tested on adequate performance, leak free condition (condensing blocks, compressors, fans, control panel, and so forth). Choosing HOSBV means buying with warranty. We perform a industrial cleaning. if requested we can



arrange your shipment.









