

# Bitzer 6F-40.2Y-40P (x3) & 4J-13.2Y-40P (x1)

## Specifications

|   |                                       |
|---|---------------------------------------|
| Marka                                   | Bitzer                                |
| Typ                                     | 6F-40.2Y-40P (x3) & 4J-13.2Y-40P (x1) |
| Czynnik chłodzący                       | Freon                                 |
| Refrigerant type                        | R404A                                 |
| kW at -5°C/+40°C                        | 345,5                                 |
| kW at -10°C/+40°C                       | 284,5                                 |
| kW at -20°C/+40°C                       | 185,9                                 |
| kW at -30°C/+40°C                       | 113,0                                 |
| kW at -40°C/+40°C                       | 60,3                                  |
| Podstawa na stalowej ramie              | ✓                                     |
| Ciśnieniowe przełączniki bezpieczeństwa | ✓                                     |
| Wskaźniki ciśnienia                     | ✓                                     |
| Obiornik cieczy                         | ✓                                     |
| Obiornik cieczy ltr.                    | 228                                   |
| Separator oleju                         | ✓                                     |
| Poziom oleju w systemie                 | ✓                                     |
| Osuszający filter lini cieczy           | ✓                                     |
| Okno widokowe                           | ✓                                     |
| Zawór elektromagnetyczny                | ✓                                     |
| m <sup>3</sup> / h                      | 518,3                                 |



|          |                             |
|----------|-----------------------------|
| Uwagi    | Y.o.b. 2008                 |
| Rozmiary | 330x1360x2060 mm<br>(LxWxH) |
| Stock    | 1                           |

## Description

### Used Bitzer 6F-40.2Y-40P (x3) & 4J-13.2Y-40P (x1)

Used Bitzer 6F-40.2Y-40P (x3) & 4J-13.2Y-40P (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with a Bitzer F2202N liquid receiver with a volume of 228 liters, Henry Technologies S-5203-CE oil separator, Henry Technologies S-9109-CE oil reservoir, brazed heat exchanger, pressure and safety switches/gauges and a liquid line filter drier. The compressors have a displacement of 518,3 m<sup>3</sup>/h at 50 Hz. \*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. \*Optionally we can also perform a new paint job and arrange the logistics.







