

# KTK TWA 482 VV/Y/A SL/CC/IM/FE/CP/FL/NS

## Specifications

Marka	KTK
Typ	TWA 482 VV/Y/A SL/CC/IM/FE/CP/FL/NS
Typ produktu	Air Cooled Chiller
Ogólna wydajność w kW	464,0
Ogólna wydajność w	131,9
Tonaż	
Czynnik chłodzący	Freon
Typ czynnika chłodzącego	R134A
Waga kg.	4800
Rozmiary	6400x2280x2150 mm (LxWxH)
Compressor(s) type & model	2x J&E Hall S31233EAQA20B1100
Number of fans	8
Fan specifications	50 Hz - 1,9/1,1 kW - 870/630 RPM - diameter 800 mm
Uwagi	Y.o.b. 2018
Stock	1



## Description

### Used KTK TWA 482 VV/Y/A SL/CC/IM/FE/CP/FL/NS

Used KTK TWA 482 VV/Y/A SL/CC/IM/FE/CP/FL/NS air-cooled chiller on R134A built in 2018. Complete with 2 J&E Hall S31233EAQA20B1100 screw compressors, condenser with 8 Ziehl-Abegg FN080-SDH.6N.V7P5 fans - 50 Hz - 1,9/1,1 kW - 870/630 RPM - diameter 800 mm, Onda LSE 575/2+200+2S/S shell and tube evaporator with a waterflow of 22,17 l/s, 2 Onda brazed heat exchangers and a control cabinet. Capacity of 464 kW at a water temperature of 12°C in and 7°C out with an ambient temperature of 35°C.

\*All components of this used chiller will be tested on adequate performance,



leak free condition (condensing blocks, compressors, fans, control panel, and so forth). Choosing HOSBV means buying with warranty. We perform a industrial cleaning. if requested we can arrange your shipment.







