

Bitzer HSN 7471-75-40P

Specifications

Marka	Bitzer
Typ	HSN 7471-75-40P
Czynnik chłodzący	Freon
Refrigerant type	R404A
kW at -20°C/+40°C	120,3
kW at -30°C/+40°C	82,9
kW at -40°C/+40°C	54,5
kW at -45°C/+40°C	43,0
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	112
Separator oleju	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
m ³ / h	250
Uwagi	Y.o.b. 2011
Rozmiary	1900x1050x2030 mm (LxWxH)



Stock

1

Description

Used Bitzer HSN 7471-75-40P

Used Bitzer HSN7471-75-40P semi-hermetic screw compressor Freon on steel base frame. Complete with Bitzer F1202N liquid receiver, Bitzer OA1954 oil separator, Gea GBS 700M-20 brazed heat exchanger as economizer, Gea GBS 700M-44 brazed heat exchanger for heat recovery, pressure and safety switches/gauges and a liquid line filter drier. The compressor has a displacement of 250 m³/h at 2900 RPM and 300 m³/h at 3500 RPM. The capacities are with a economizer.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.





