

# Bitzer 2JSL-2K-40S (x1) & 4HTEU-20LK-40S (x1) & 4FTE-20K-40P (x1)

## Specifications

Marka	Bitzer
Typ	2JSL-2K-40S (x1) & 4HTEU-20LK-40S (x1) & 4FTE-20K-40P (x1)
Czynnik chłodzący	CO2
Refrigerant type	R744
kW at -20°C/+40°C	84,3*
Podstawa na stalowej ramie	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	133
Separator oleju	✓
Okno widokowe	✓
Panel kontrolny	✓
m3 / h	33,4
Uwagi	Y.o.b. 2023



	cooler outlet temp. of 0°C
Package / Rack	*Capacity based on the
Rozmiar	2JSL-2K-40S (x1) & 4HTEU-20LK-40S (x1) compressor
	(induct) condensing temp.
Stock	of 0°C & capacity based on the 4HTEU-20LK-40S & 4FTE-20K-40P compressors at a gas

## Description

### Used Bitzer 2JSL-2K-40S (x1) & 4HTEU-20LK-40S (x1) & 4FTE-20K-40P (x1)

New Bitzer compressor rack on CO2 (R744). Complete with a Bitzer 2JSL-2K-40S (x1) & 4HTEU-20LK-40S (x1) & 4FTE-20K-40P (x1) semi-hermetic reciprocating compressors. Further the set comes with a Frigomec RC0355.178.133.80 liquid receiver with a volume of 133 liters, oil separator, brazed heat exchanger, Eco Modine CGS12EH3.4443 evaporator, pressure and safety gauges, ABB ACH580-01-0945-4+J400 frequency converter and a control cabinet with Danfoss MMIGRS2 controller.

\*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also perform a new paint job and arrange the logistics.









