

Carrier 30 RQS 070

Specifications

Marka	Carrier
Typ	30 RQS 070
Typ produktu	Heat pump
Ogólna wydajność w kW	64/70 Cooling/Heating
Ogólna wydajność w	18,2/19,9
Tonaż	Cooling/Heating
Czynnik chłodzący	Freon
Typ czynnika chłodzącego	R410A
Pump	✓
Waga kg.	576
Rozmiary	2200x1180x1650 mm (LxWxH)
Compressor(s) type & model	x2 Copeland ZP154KQE-TFD-604
Display	Carrier Touch Pilot
Number of fans	1
Fan specifications	50 Hz - 970/480 RPM - 1,4/0,19 kW
Uwagi	Y.o.b. 2018
Stock	1



Description

Used Carrier 30 RQS 070

Used Carrier 30 RQS 070 reversible chiller / heat pump on Freon R410A. Complete with 2 Copeland ZP154KQE-TFD-604 scroll compressors, Swep F80Hx86/1P-NC-F brazed heat exchanger as evaporator, Carrier PA0AA02A02 fan - 50 Hz - 970/480 RPM - 1,4/0,19 kW, Grundfos water pump, expansion vessel, Mecasem OOPSG001170800B receiver with a volume of 14 liters and a control cabinet with a Carrier Touch Pilot. *All components of this used chiller will be tested on adequate performance, leak free condition (condensing blocks), compressors, fans, control panel, and so forth). Choosing HOSBV means buying with warranty. We perform an industrial cleaning. *If requested we are happy to arrange your shipment.







